

MEDICAL ARMS FOR DISPLAY

MOUNTING ON MEDICAL COLUMN



media systems compatible with the widest possible range of medical and

computer monitors.

www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com



Our Medical Products for screen

MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN

INDEX:

Medical arms for screen, mounting on Medical Column

Medical arms for screen, mounting on Medical Column overview	Page 4 - 18
Mandatory Options and Optional Accessories overview	Page 19 - 21

Medical Arms for Display Presentations and Data Sheets Mandatory Options Presentations and Technical Sheets Optional Accessories Presentations and Data Sheets	Page 102 - 109
Benefits of Medical Arms	Page 160 - 167





Our Medical Products for screen

MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN

Orient and position your screen effortlessly from a medical column

This range of products has been designed to meet all the needs of many users in the healthcare sector in terms of fixing 1 flat screen. Medical display arms help create a more spacious, quiet, ergonomic and individual medical workstation.


However, not all medical display arms are the same. We offer several types of arms, each of which is designed for a specific application: depth adjustment, height adjustment or simply both.


We assist you in choosing the medical monitor arm that best suits your needs. Position your LCD screen at the height adapted to your visual comfort.


We have all the solutions and offer you the widest choice of professional medical media systems compatible with the widest possible range of medical and computer monitors.




MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Depth Adjustable Medical Monitor Arms OVERVIEW







MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Depth Adjustable Medical Monitor Arms OVERVIEW








Medical Monitor Arm, Adjustable height and depth, 300 mm, medical column mount

Part Number: 991.113-2






Medical Monitor Arm, Adjustable height and depth, 300 mm, medical column mount

Part Number: 991.113-3









Medical Monitor Arm, Adjustable height and depth, 300 mm, medical column mount

Part Number: 991.113-5






Medical Monitor Arm, Adjustable Height and Depth, 300 + 240 mm, Medical Column Mount

Part Number: 991.540-1








Medical Monitor Arm, Adjustable Height and Depth, 300 + 240 mm, Medical Column Mount

Part Number: 991.540-3





Medical Monitor Arm, Adjustable Height and Depth, 300 + 240 mm, Medical Column Mount

Part Number: 991.540-4








Medical Monitor Arm PH, Adjustable height and depth, 300 mm, medical column mount

Part Number: 991.530-1







Medical Monitor Arm PH, Adjustable height and depth, 300 mm, medical column mount


Part Number: 991.530-2



















Medical Monitor Arm PH, Adjustable height and depth, 300 + 240 mm, medical column mount Part Number: 991.114-2






Medical Monitor Arm PH, Adjustable height and depth, 300 + 240 mm, medical column mount Part Number: 991.114-3







MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Medical arms for 2 screens, depth adjustable OVERVIEW



MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Medical Monitor Arms Large and Heavy OVERVIEW







P 14 ErgenoFlex. www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com


MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Medical Monitor Arms Large and Heavy OVERVIEW

lew Product




MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Medical consoles for displays OVERVIEW









MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Medical consoles for displays OVERVIEW







MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Medical consoles for displays OVERVIEW








MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Mandatory and Optional Accessories OVERVIEW


Mandatory accessories:



Optional Accessories:

440 mm	DIN RAIL 10 X 25 mm	208 mm 180,5 mm	If you don't find the right accessory for you, do not hesitate to contact us, we will help you in your search
Single drawer, Vertical Slide Rail Mounting	Din Rail 10 x 25 mm. Length 300 mm.	Drawer and Keyboard Stand Vertical Slide Rail Mounting	
Part Number: 999.149	Part Number: 999.150	Part Number: 999.151	
400 III	200 000	150 200 100	100
HD worktop, Vertical Slide Rail Mounting Part Number: 999.153	Large service basket, vertical slide rail mounting Part Number: 999.154	Small service basket, vertical slide rail mounting Part Number: 999.155	Double cable hooks for vertical slide rail mounting Part Number: 999.156

MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Mandatory and Optional Accessories OVERVIEW



P 20

MEDICAL ARMS FOR SCREEN FIXING ON MEDICAL COLUMN Mandatory and Optional Accessories OVERVIEW





Part Number: 991.110— Presentation 100 mm Short Pivot Medical Arm for Display, Column Mounting



Display Compatibility: 26" Wide (Weight) Supported Weight: 18 Kg VESA standard: 75 / 100 mm



100 mm Short Pivot Medical Arm for Display, Column Mounting

This mini medical arm with short pivot of 100 mm makes it possible to fix, direct and adjust perfectly the LCD screen. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- * These columns can be easily cut to size you want. All cables also pass through the Column.(See Option below)
- * This mini pivot arm simply slips into the column rail and then adjust to the desired height and fixed. Rotary head.
- * The head of this mini arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 18 Kg.
- * Touch screen stability.
- * Screen tilt: 50° down and 100° up
- * Screen rotation: 105° to the right, 105° to the left.
- * Total length 146 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


Note: This arm can also be installed on one of our medical columns or trolleys.




Part Number: 991.110— Technical sheet 100 mm Short Pivot Medical Arm for Display, Column Mounting













Display Compatibility: 26" Wide (Weight) Supported Weight: 18 Kg VESA standard: 75 / 100 mm



Anti-bacterial properties:


IT medical arms are now designed with Microban antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.





Display Compatibility: 26" Wide (Weight) Supported Weight: 18 Kg VESA standard: 75 / 100 mm



240 mm Horizontal Medical Monitor Arm, Column Mount

This 240 mm Horizontal Arm allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)

- * This 240 mm Horizontal Arm simply slips into the column and then adjust to the desired height and fixed. He doesn't own height adjustment.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm. Rotary head.
- * Compatible with screens whose weight does not exceed 18 Kg.
- * Touch screen stability.
- * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 311 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC. * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.




Part Number: 991.504— Technical sheet 240 mm Horizontal Medical Monitor Arm, Column Mount








Display Compatibility: 26" Wide (Weight) Supported Weight: 18 Kg VESA standard: 75 / 100 mm













Anti-bacterial properties:

IT medical arms are now designed with Microban antibacterial protection, a revolutionary treatment that guarantees optimal


hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.


It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.









P 26

300 mm Horizontal Medical Monitor Arm, Column Mount

This 300 mm Horizontal Arm allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)


These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)

- * This 300 mm Horizontal Arm simply slips into the column and then adjust to the desired height and fixed. He doesn't own height adjustment.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm. Rotary head.
- * Compatible with screens whose weight does not exceed 18 Kg.
- * Touch screen stability.
- * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 371 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC. * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.111— Technical sheet 300 mm Horizontal Medical Monitor Arm, Column Mount







Display Compatibility: 26" Wide (Weight) Supported Weight: 12,5 Kg VESA standard: 75 / 100 mm



2 x 300 mm Horizontal Medical Monitor Arm, Column Mount

This 2 x 300 mm Horizontal Arm allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


* This 2 x 300mm Horizontal Arm simply slips into the column and then adjust to the desired height and fixed. He doesn't own height adjustment.

- * The head of this arm complies with the screen mounting standard:
- VESA MIS-D 75 mm and 100 mm. Rotary head.
- * Compatible with screens whose weight does not exceed 12,5 Kg.
- * Touch screen stability.
- * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 604 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


Note: This arm can also be installed on one of our medical columns or trolleys.




Part Number: 991.112— Technical sheet 2 x 300 mm Horizontal Medical Monitor Arm, Column Mount













Display Compatibility: 26" Wide (Weight) Supported Weight: 12,5 Kg VESA standard: 75 / 100 mm Up to 26" Wide (Weight)

12,5 Kg

GRADE





991.112

Anti-bacterial properties:

IT medical arms are now designed with Microban antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.







300 mm height adjustable medical monitor arm, column mount

This 300 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.


Technical specifications:

- * Integrated cable channel * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)
- * This 300 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 3-8 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC. * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.113-1— Technical sheet 300 mm height adjustable medical monitor arm, column mount









300 mm height adjustable medical monitor arm, column mount

This 300 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)


These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)

- * This 300 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 5-11 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.113-2— Technical sheet 300 mm height adjustable medical monitor arm, column mount









300 mm height adjustable medical monitor arm, column mount

This 300 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)


These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)

- * This 300 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 9-14 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.113-3— Technical sheet 300 mm height adjustable medical monitor arm, column mount









300 mm height adjustable medical monitor arm, column mount

This 300 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)

- * This 300 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 13-18 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


Note: This arm can also be installed on one of our medical columns or trolleys.




Part Number: 991.113-4— Technical sheet 300 mm height adjustable medical monitor arm, column mount







450







Anti-bacterial properties:

IT medical arms are now designed with Microban antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.







300 mm height adjustable medical monitor arm, column mount

This 300 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This 300 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 16-22 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years




Part Number: 991.113-5— Technical sheet 300 mm height adjustable medical monitor arm, column mount













Anti-bacterial properties:

IT medical arms are now designed with Microban antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.

P 39



Part Number: 991.540-1— Presentation 300 + 240 mm height adjustable medical monitor arm, column mounting



Display Compatibility: 26" Wide (Weight) Supported Weight: 3-8 Kg VESA standard: 75 / 100 mm



300 + 240 mm height adjustable medical monitor arm, column mounting

This 300 + 240 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)
- * This 300 + 240 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 3-8 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.





Part Number: 991.540-1— Technical sheet 300 + 240 mm height adjustable medical monitor arm, column mounting






Display Compatibility: 26" Wide (Weight) Supported Weight: 3-8 Kg VESA standard: 75 / 100 mm













Display Compatibility: 26" Wide (Weight) Supported Weight: 5-11 Kg VESA standard: 75 / 100 mm



300 + 240 mm height adjustable medical monitor arm, column mounting

This 300 + 240 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments

Technical specifications:


- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)
- * This 300 + 240 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 5-11 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.



Part Number: 991.540-2— Technical sheet 300 + 240 mm height adjustable medical monitor arm, column mount










Display Compatibility: 26" Wide (Weight) Supported Weight: 5-11 Kg VESA standard: 75 / 100 mm



hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment. It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.





Display Compatibility: 26" Wide (Weight) Weight Supported: 9-14 Kg VESA standard: 75 / 100 mm



300 + 240 mm height adjustable medical monitor arm, column mounting

This 300 + 240 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)
- * This 300 + 240 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 9-14 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.



Part Number: 991.540-3— Technical sheet 300 + 240 mm height adjustable medical monitor arm, column mount










Display Compatibility: 26" Wide (Weight) Weight Supported: 9-14 Kg VESA standard: 75 / 100 mm



It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.





Display Compatibility: 26" Wide (Weight) Supported Weight: 13-18 Kg VESA standard: 75 / 100 mm



300 + 240 mm height adjustable medical monitor arm, column mounting

This 300 + 240 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)
- * This 300 + 240 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 13-18 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.




Part Number: 991.540-4— Technical sheet 300 + 240 mm height adjustable medical monitor arm, column mount











Display Compatibility: 26" Wide (Weight) Supported Weight: 13-18 Kg VESA standard: 75 / 100 mm



It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.









300 + 240 mm height adjustable medical monitor arm, column mounting

This 300 + 240 mm Horizontal Medical Arm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments

Technical specifications:


- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)
- * This 300 + 240 mm Horizontal arm with gas spring simply slips in in the Column and then adjust to the desired height and fixed. It has a safety stop button for the height adjustment, which allows the arm to remain in the chosen position.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 16-22 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.




Part Number: 991.540-5— Technical sheet 300 + 240 mm height adjustable medical monitor arm, column mount















Part Number: 991.530-1— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount





PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm) These columns can be easily cut to the desired size. All cables also

pass through the Column. (See Option below)

- * This PH Horizontal 300 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.* Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 3-8 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.





Part Number: 991.530-1— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount

















Part Number: 991.530-2— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount



Display Compatibility: 26" Wide (Weight) Supported Weight: 5-11 Kg VESA standard: 75 / 100 mm



PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm) These columns can be easily cut to the desired size. All cables also

pass through the Column. (See Option below)

- * This PH Horizontal 300 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.* Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 5-11 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.




Part Number: 991.530-2— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount












It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained. All medical articulated arms incorporate Microban.



Part Number: 991.530-3— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount





PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)

- * This PH Horizontal 300 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.* Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 9-14 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.



Part Number: 991.530-3— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount









the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained. All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacteria

Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.











Part Number: 991.530-4— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount







PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm)
- These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)
- * This PH Horizontal 300 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.* Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 13-18 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.





Part Number: 991.530-4— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount
















Part Number: 991.530-5— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount





PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This PH Horizontal 300 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.* Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 16-22 Kg.
- * Touch screen stability. * Screen tilt: 50° down and 100° up
- * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 576 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.





Part Number: 991.530-5— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 mm, column mount
















Part Number: 991.114-1— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount







PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 + 240 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This PH Horizontal 300 +240 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.
- * Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm. * Touch screen stability.
- * Compatible with screens whose weight does not exceed 3-8 Kg.
- * Screen tilt: 50° down and 100° up * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC




Part Number: 991.114-1— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount
















antibacterial protection, a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Part Number: 991.114-2— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount





PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 + 240 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This PH Horizontal 300 +240 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.
- * Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm. * Touch screen stability.
- * Compatible with screens whose weight does not exceed 5-11 Kg.
- * Screen tilt: 50° down and 100° up * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC





Part Number: 991.114-2— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount

















Part Number: 991.114-3— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount





PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 + 240 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This PH Horizontal 300 +240 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.
- * Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm. * Touch screen stability.
- * Compatible with screens whose weight does not exceed 9-14 Kg.
- * Screen tilt: 50° down and 100° up * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC





Part Number: 991.114-3— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount















It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained. All medical articulated arms incorporate Microban.



Part Number: 991.114-4— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount





PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 + 240 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This PH Horizontal 300 +240 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.
- * Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm. * Touch screen stability.
- * Compatible with screens whose weight does not exceed 13-18 Kg.
- * Screen tilt: 50° down and 100° up * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC




Part Number: 991.114-4— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount















the growth of bacteria of all types. This is not a surface

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.

It is 100% in the totality of the product.


treatment.

maintained.



Part Number: 991.114-5— Presentation PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount







PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount

This PH (High Position) Horizontal Medical Arm 300 + 240 mm with gas spring height adjustment allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Equipotential bonding
- * Optional mounting on worktop or floor or ceiling column, several Heights are available:
 - (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This PH Horizontal 300 +240 mm gas spring arm simply slips into the column and then adjusts to the desired height and fixed. It has a safety height adjustment stop button, which allows the arm to remain in the chosen position.
- * Installation specific to the high position (PH)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm. * Touch screen stability.
- * Compatible with screens whose weight does not exceed 16-22 Kg.
- * Screen tilt: 50° down and 100° up * Screen rotation: 110° right, 110° left.
- * Arm rotation: 105° to the right, 105° to the left.
- * Height adjustment: 45° down, 45° up * Total length 806 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White * Warranty: 5 years * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC




Part Number: 991.114-5— Technical sheet PH Medical Monitor Arm (High Position) height adjustable 300 + 240 mm, column mount





















hospital, construction and food industries.



Part Number: 991.843— Presentation Horizontal Medical Arm 240 mm equipped with a pole for two screens fixing on Column



Display Compatibility: 26" Wide (Weight) Supported Weight: 2 x 10 Kg VESA standard: 75 / 100 mm



Horizontal Medical Arm 240 mm equipped with a pole for two screens fixing on Column

This 240 mm Horizontal Medical Arm equipped with a pole allows two LCD screens to be perfectly fixed, oriented and adjusted. It is coated with an antimicrobial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Integrated cable channel

* Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm - 500 mm - 1500 mm - 2000 mm)

These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)


- * This 240 mm Horizontal Arm with Pole simply slides in in the column and then adjust to the desired height and fixed. Rotary head.
- * The heads comply with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 10 Kg either 20 Kg total.
- * Touch screen stability.
- * Screen tilt: 20° down and 20° up
- * Screen rotation: 45° to the right, 45° to the left.
- * Arm rotation: 45° to the right, 45° to the left.
- * Total length 387 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:

CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.

* Warranty: 5 years



Part Number: 991.843— Technical sheet Horizontal Medical Arm 240 mm equipped with a pole for two screens fixing on Column





Part Number: 991.845— Presentation 306 mm Horizontal Swivel Stand Medical Arm with 10° to 15° Tilting Foot Column Mounting





306 mm Horizontal Swivel Stand Medical Arm with 10° to 15° Tilting Foot Column Mounting

This 278 mm Horizontal Swivel Stand Arm allows the LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail.

Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)


These columns can be easily cut to the desired size. All cables also pass through the Column. (See Option below)

* This 306 mm Horizontal Swivelling Arm simply slips into the column and then adjust to the desired height and fixed. He doesn't own height adjustment but swivels on itself.

- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Compatible with screens whose weight does not exceed 25 Kg.
- * Touch screen stability.
- * Total length 333 mm
- * Height of the screen stand: 315 mm not inclined, 295 mm inclined
- * Stand rotation: 210°. * Arm rotation: 210°.
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
 - CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years




Part Number: 991.845— Technical sheet 306 mm Horizontal Swivel Stand Medical Arm with 10° to 15° Tilting Foot Column Mounting





Part Number: 991.846— Presentation Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 200 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column







Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 200 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column

This 300mm Horizontal Widescreen Arm allows the large LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail.

Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to size you want. All cables also pass through the Column.(See Option below)

- * This 300mm Horizontal Widescreen Arm simply slides in in the column and then adjust to the desired height and fixed. It does not have a height adjustment, but allows the inclination of the screen.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 200 mm x 200 mm.
- * Compatible with screens whose weight does not exceed 40 Kg.
- * Touch screen stability.
- * Screen tilt: 12.5° down
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 371 mm
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.846— Technical sheet Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 200 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column







antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product.


It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban.

Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the

hospital, construction and food industries.












Part Number: 991.847— Presentation Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 400 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column







Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 400 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column

This 300mm Horizontal Widescreen Arm allows the large LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail.

Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to size you want. All cables also pass through the Column.(See Option below)

- * This 300mm Horizontal Widescreen Arm simply slides in in the column and then adjust to the desired height and fixed. It does not have a height adjustment, but allows the inclination of the screen.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 200 mm x 400 mm.
- * Compatible with screens whose weight does not exceed 40 Kg.
- * Touch screen stability.
- * Screen tilt: 12.5° down
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 371 mm
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.847— Technical sheet Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 400 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column
















maintained. All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.



Part Number: 991.848— Presentation Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column







Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column

This 300mm Horizontal Widescreen Arm allows the large LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail.

Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to size you want. All cables also pass through the Column.(See Option below)

- * This 300mm Horizontal Widescreen Arm simply slides in in the column and then adjust to the desired height and fixed. It does not have a height adjustment, but allows the inclination of the screen.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 200 mm x 600 mm.
- * Compatible with screens whose weight does not exceed 40 Kg.
- * Touch screen stability.
- * Screen tilt: 12.5° down
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 371 mm
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.848— Technical sheet Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 200 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column















a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.



Part Number: 991.849— Presentation Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 400 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column



Screen Compatibility: Widescreen Supported Weight: 40 Kg VESA standard: 400 / 600 mm



Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 400 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column

This 300mm Horizontal Widescreen Arm allows the large LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail.

Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to size you want. All cables also pass through the Column.(See Option below)

- * This 300mm Horizontal Widescreen Arm simply slides in in the column and then adjust to the desired height and fixed. It does not have a height adjustment, but allows the inclination of the screen.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 400 mm x 600 mm.
- * Compatible with screens whose weight does not exceed 40 Kg.
- * Touch screen stability.
- * Screen tilt: 12.5° down
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 371 mm
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.849— Technical sheet Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 400 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column





Screen Compatibility: Widescreen Supported Weight: 40 Kg VESA standard: 400 / 600 mm














991.849

On Measure

antibacterial protection, a revolutionary treatment that guarantees optimal bygene. IT medical arms integrate Microban and ot

hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

Graphite Grey and White

= Depending on the elements


It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.



Part Number: 991.850— Presentation Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 600 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column







Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 600 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column

This 300mm Horizontal Widescreen Arm allows the large LCD screen to be perfectly fixed, oriented and adjusted. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail.

Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)

These columns can be easily cut to size you want. All cables also pass through the Column.(See Option below)

- * This 300mm Horizontal Widescreen Arm simply slides in in the column and then adjust to the desired height and fixed. It does not have a height adjustment, but allows the inclination of the screen.
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 600 mm x 600 mm.
- * Compatible with screens whose weight does not exceed 40 Kg.
- * Touch screen stability.
- * Screen tilt: 12.5° down
- * Arm rotation: 105° to the right, 105° to the left.
- * Total length 371 mm
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This arm can also be installed on one of our medical columns or trolleys.



Part Number: 991.850— Technical sheet Medical Monitor Arm Horizontal 300 mm arm equipped with a VESA 600 x 600 adapter with 12.5° inclination for heavy screen of 40 Kg maximum mounting on Column







IT medical arms are now designed with Microban antibacterial protection, a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other


antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.

All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.















Part Number: 991.858— Presentation Medical Console for Display Height 220 mm Column Mount













P 84

Medical Console for Display Height 220 mm Column Mount

This display console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with a drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to size you want. All cables also pass through the Column.
- (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg
- * Tube arm with tilting head for 220 mm screen height (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Internal sliding drawer dimensions: 364 x 400 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This Console can also be installed on one of our medical columns or trolleys.




Part Number: 991.858— Technical sheet Medical Console for Display Height 220 mm Column Mount





Part Number: 991.859— Presentation Medical Console for Display Height 280 mm Column Mount









Medical Console for Display Height 280 mm Column Mount

This display console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with a drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


120 mm

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to size you want. All cables also pass through the Column.
- (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg
- * Tube arm with tilting head for 280 mm screen height (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Internal sliding drawer dimensions: 364 x 400 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This Console can also be installed on one of our medical columns or trolleys.




Part Number: 991.859— Technical sheet Medical Console for Display Height 280 mm Column Mount





Part Number: 991.860— Presentation Medical Console for Display Height 340 mm Column Mount









Medical Console for Display Height 340 mm Column Mount

This display console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with a drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


120 mm


- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- These columns can be easily cut to size you want. All cables also pass through the Column.
- (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg
- * Tube arm with tilting head for 340 mm screen height (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Internal sliding drawer dimensions: 364 x 400 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


Note: This Console can also be installed on one of our medical columns or trolleys.





Part Number: 991.860— Technical sheet Medical Console for Display Height 340 mm Column Mount













Display Compatibility: 26" Wide (Weight)

Propriétés Anti-bactériennes:

Les bras médicaux informatiques sont désormais conçus avec la protection antibactérienne Microban, un traitement révolutionnaire qui garantit une hygiène optimale. Les bras médicaux informatiques intègrent du Microban et d'autre agent anti bactérien dans tous les produits médicaux. Il inhibe la croissance de bactéries de tout type. Il ne s'agit pas d'un traitement superficiel. Il se trouve à 100% dans la totalité du produit. Il n'entraîne aucune altération des propriétés physicomécaniques du système élévateur des bras médicaux. Des simulations sur 30 ans montrent que 100 % des propriétés anti-bactériennes sont maintenues. Tous les bras articulés médicaux intégrent du Microban. Microban est leader mondial de solutions anti-bactériennes. Il est appliqué avec succès, depuis déjà plus de 35 ans, dans de multiples produits utilisés dans les secteurs hospitalier, de la construction et de l'alimentation.



Part Number: 991.861— Presentation Medical Console for Display, 2 drawers, height 220 mm Column Mount











Medical Console for Display, 2 drawers, height 220 mm Column Mount

This display console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with a drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Integrated cable channel

* Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm - 500 mm - 1500 mm - 2000 mm)

- These columns can be easily cut to size you want. All cables also pass through the Column. (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg
- * Tube arm with tilting head for 220 mm screen height (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Internal sliding drawer (2) dimensions: 364 x 400 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

Note: This Console can also be installed on one of our medical columns or trolleys.



Part Number: 991.861— Technical sheet Medical Console for Display, 2 drawers, height 220 mm Column Mount





Part Number: 991.862— Presentation Medical Console for Display, 2 drawers, height 280 mm Column Mount











P 92

Medical Console for Display, 2 drawers, height 280 mm Column Mount

This display console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with a drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Integrated cable channel


* Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm - 500 mm - 1500 mm - 2000 mm)


- These columns can be easily cut to size you want. All cables also pass through the Column. (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg
- * Tube arm with tilting head for 280 mm screen height (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Internal sliding drawer (2) dimensions: 364 x 400 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


Note: This Console can also be installed on one of our medical columns or trolleys.





Part Number: 991.862— Technical sheet Medical Console for Display, 2 drawers, height 280 mm Column Mount














de tout type. Il ne s'agit pas d'un traitement superficiel. Il se trouve à 100% dans la totalité du produit.

Il n'entraîne aucune altération des propriétés physicomécaniques du système élévateur des bras médicaux. Des simulations sur 30 ans montrent que 100 % des propriétés anti-bactériennes sont maintenues. Tous les bras articulés médicaux intégrent du Microban.

anti-bactériennes. Il est appliqué avec succès, depuis déjà plus de 35 ans, dans de multiples produits utilisés dans les secteurs hospitalier, de la construction et de

Microban est leader mondial de solutions

l'alimentation.

Display Compatibility: 26" Wide (Weight)



Part Number: 991.863— Presentation Medical Console for Display, 2 drawers, height 340 mm Column Mount











P 94

Medical Console for Display, 2 drawers, height 340 mm Column Mount

This display console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with a drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Integrated cable channel


* Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm - 500 mm - 1500 mm - 2000 mm)


- These columns can be easily cut to size you want. All cables also pass through the Column. (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg
- * Tube arm with tilting head for 340 mm screen height (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Internal sliding drawer (2) dimensions: 364 x 400 mm
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


Note: This Console can also be installed on one of our medical columns or trolleys.





Part Number: 991.863— Technical sheet Medical Console for Display, 2 drawers, height 340 mm Column Mount

















Display Compatibility: 26" Wide (Weight)

Supported Weight: 25 Kg VESA standard: 75 / 100 mm


Arm height: 340 mm


Anti-bacterial properties:






Part Number: 991.864— Presentation Combo Medical Console for Display, height 220 mm Column Mount





120 mn





Combo Medical Console for Display, height 220 mm Column Mount

This monitor combo console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with an open drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

180,5 mm

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm)
- These columns can be easily cut to size you want. All cables also pass through the Column.
- (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg
- * Tube arm with tilting head for the screen, 220 mm high (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Working area 440 x 412 mm
- * Sliding mouse holder (right/left) with 180.5 x 208 mm usable area
- * Keyboard holder with 259.5 x 208 mm usable area
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:


CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.

- * Warranty: 5 years
- * Note: This Console can also be installed on one of our medical columns or trolleys.

991.864



Part Number: 991.864— Technical sheet Combo Medical Console for Display, height 220 mm Column Mount






Part Number: 991.865— Presentation Combo Medical Console for Display, height 280 mm Column Mount









Combo Medical Console for Display, height 280 mm Column Mount

This monitor combo console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with an open drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

180,5 mn

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm)
- These columns can be easily cut to size you want. All cables also pass through the Column.
- (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg

120 mm


- * Tube arm with tilting head for the screen, 280 mm high (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Working area 440 x 412 mm
- * Sliding mouse holder (right/left) with 180.5 x 208 mm usable area
- * Keyboard holder with 259.5 x 208 mm usable area
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:

CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.

- * Warranty: 5 years
- * Note: This Console can also be installed on one of our medical columns or trolleys.



Part Number: 991.865— Technical sheet Combo Medical Console for Display, height 280 mm Column Mount





Part Number: 991.866— Presentation Combo Medical Console for Display, height 340 mm Column Mount









Combo Medical Console for Display, height 340 mm Column Mount

This monitor combo console allows you to perfectly fix, orient and adjust an LCD screen and provides additional storage space with an open drawer. It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

180,5 mm

- * Integrated cable channel
- * Optional mounting on worktop or floor or ceiling column, several Heights are available: (300 mm - 500 mm - 1500 mm - 2000 mm)
- These columns can be easily cut to size you want. All cables also pass through the Column.
- (See Option below)
- * This console simply slips into the rail of the column for then adjust to the desired and fixed height.
- * Weight Supported by the console: 25 Kg

120 mm

- * Tube arm with tilting head for the screen, 340 mm high (50° down / 100° up)
- * The head of this arm complies with the screen mounting standard: VESA MIS-D 75 mm and 100 mm.
- * Working area 440 x 412 mm
- * Sliding mouse holder (right/left) with 180.5 x 208 mm usable area
- * Keyboard holder with 259.5 x 208 mm usable area
- * Compatible with multimedia terminals (TMM)
- * Colour RAL 7024 (Graphite grey) and White
- * All our medical arms are in conformity:


CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.

- * Warranty: 5 years
- * Note: This Console can also be installed on one of our medical columns or trolleys.

P 100 ErgenoFlex. www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com



Part Number: 991.866— Technical sheet Combo Medical Console for Display, height 340 mm Column Mount




P 101




Part Number: 999.200— Presentation **ErgenoFlex.** Part Number: 999.200— Presentation Medical worktop column 300 mm high









Medical worktop column 300 mm high

This 300 mm high worktop column allows the attachment of all medical arms and wall type accessories that have the wall rail mounting interface. All cables are integrated inside the column and three ducts are provided over the entire height for this purpose. This means that no cables are visible. The round openings inside the column allow all cables to pass easily for direct connection with the computer or medical equipment that will be attached. This column can be cut to any size.

It is delivered with two cable covers

(1 at the front of the column, 1 at the back).


This column has two fixing rails for the different elements that will be fixed to it (1 rail at the front of the column, 1 rail at the rear). medical arms and accessories can therefore be placed back to back.

It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare

Technical specifications:


- * Column height: 300 mm
- * Column: 80 x 70 mm
- * Cable covers included
- * Fixing with four screws (\emptyset 0,65 cm x 4) of the base on the surface of the plane of work or medical machine.
- * Colour Aluminium and white
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.

* Warranty: 5 years




P 102 ErgenoFlex. Email: info@ergonoflex.com www.ergonoflex.com Tel: +32 2 582 18 94








Part Number: 999.201—Presentation Medical worktop column 500 mm high










This 300 mm high worktop column allows the attachment of all medical arms and wall type accessories that have the wall rail mounting interface. All cables are integrated inside the column and three ducts are provided over the entire height for this purpose. This means that no cables are visible. The round openings inside the column allow all cables to pass easily for direct connection with the computer or medical equipment that will be attached. This column can be cut to any size.

- It is delivered with two cable covers
- (1 at the front of the column, 1 at the back).

This column has two fixing rails for the different elements that will be fixed to it (1 rail at the front of the column, 1 rail at the rear). medical arms and accessories can therefore be placed back to back.

It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare

- * Fixing with four screws (\emptyset 0,65 cm x 4) of the base on the surface of the plane of work or medical machine.
- * Colour Aluminium and white
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.




500 mm

ErgenoFlex. P 104 Tel: +32 2 582 18 94 Email: info@ergonoflex.com www.ergonoflex.com




Part Number: 999.201— Technical sheet Medical worktop column 500 mm high







ErgenoFlex. Part Number: 999.202— Presentation Medical floor or coiling column 1500 m Medical floor or ceiling column 1500 mm high









Medical worktop column 1500 mm high

This 300 mm high worktop column allows the attachment of all medical arms and wall type accessories that have the wall rail mounting interface. All cables are integrated inside the column and three ducts are provided over the entire height for this purpose. This means that no cables are visible. The round openings inside the column allow all cables to pass easily for direct connection with the computer or medical equipment that will be attached. This column can be cut to any size.

- It is delivered with two cable covers
- (1 at the front of the column, 1 at the back).

This column has two fixing rails for the different elements that will be fixed to it (1 rail at the front of the column, 1 rail at the rear). medical arms and accessories can therefore be placed back to back.

It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Column height: 1500 mm
- * Column: 80 x 70 mm
- * Base: 180 x 180 mm
- * Cable covers included
- * Fixing with four screws (\emptyset 0,65 cm x 4) of the base on the surface of the plane of work or medical machine.
- * All our medical arms are in conformity:



1500 mm

Medical Column Height 1500 mm

Floor or ceiling mounting

Part Number: 999.202

Do not hesitate to contact

us if you have any questions about this


Warranty: 5 years

000.999.202

product.



ErgenoFlex. Part Number: 999.202— Technical sheet Medical floor or ceiling column 1500 mm high





2000 mm

Medical Column Height 2000 mm

Floor or ceiling mounting

Part Number: 999.203

Do not hesitate to contact us if you have any

questions about this

Warranty: 5 years

Aluminium and White

= Depending on the elements


000.999.203

On Measure


999.203


product.

ErgenoFlex Part Number: 999.203— Presentation Medical floor or coiling column 2000 Medical floor or ceiling column 2000 mm high









Medical worktop column 2000 mm high

This 300 mm high worktop column allows the attachment of all medical arms and wall type accessories that have the wall rail mounting interface. All cables are integrated inside the column and three ducts are provided over the entire height for this purpose. This means that no cables are visible. The round openings inside the column allow all cables to pass easily for direct connection with the computer or medical equipment that will be attached. This column can be cut to any size.

- It is delivered with two cable covers
- (1 at the front of the column, 1 at the back).

This column has two fixing rails for the different elements that will be fixed to it (1 rail at the front of the column, 1 rail at the rear). medical arms and accessories can therefore be placed back to back.

It is covered with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


- * Column height: 2000 mm
- * Column: 80 x 70 mm
- * Base: 180 x 180 mm
- * Cable covers included
- * Fixing with four screws (\emptyset 0,65 cm x 4) of the base on the surface of the plane of work or medical machine.
- * Colour Aluminium and white
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.

* Warranty: 5 years






ErgenoFlex. Part Number: 999.203— Technical sheet Medical floor or ceiling column 2000 mm high







Part Number: 999.149— Presentation Single drawer Vertical wall rail mounting with cable channel.















P 110

Single drawer Vertical wall rail mounting with cable channel.

A work surface with additional storage space and a sliding drawer. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

- * Integrated cable channel
- * Optional Vertical Wall Rail Mounting, several lengths available (480 mm 720 mm 960 mm 1200 mm).
- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)


- * Weight Supported by the drawer: 25 Kg
- * Working area 440 x 412 mm
- * Internal sliding drawer dimensions: 364 x 400 mm
- * Anodized, HPL and ABS (= anti-scratch, shock and scratch resistant) disinfectants)
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years





Part Number: 999.149— Technical sheet Single drawer Vertical wall rail mounting with cable channel.















It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Part Number: 999.150— Presentation Din Rail 10 x 25 mm. Length 300 mm. To mount on the sides of a console monitor or drawer.









Din Rail 10 x 25 mm. Length 300 mm. To mount on the sides of a console monitor or drawer.

This Din Rail Horizontal adapter allows the fixing of all the elements having the Din Rail Horizontal interface and in particular the accessories.

Ideal complement when no Din Rails are available or absent. To mount on the sides of a console screen or drawer.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.


Technical specifications:

- * Length 300 mm
- * Mounting on the sides of a drawer or console screen left or right
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years



Part Number: 999.150— Technical sheet Din Rail 10 x 25 mm. Length 300 mm. To mount on the sides of a console monitor or drawer.
















Drawer Keyboard Stand, Vertical Wall Rail Slide Mount

A work surface with additional storage space with integrated keyboard and mouse support.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


- * Integrated cable channel
- * Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).


These wall rails can be easily cut to the required size. All cables also pass through the wall rail.

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- * Weight Supported by the drawer: 25 Kg
- * Working area 440 x 412 mm
- * Sliding mouse holder (right/left) with a usable mouse surface of 180.5 x 208 mm
- * Keyboard holder with 259.5 x 208 mm usable area
- * Anodized, HPL and ABS (= anti-scratch, shock and scratch resistant) disinfectants)
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity:
- CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.

* Warranty: 5 years











ErgonoFlex.

HD work surface Vertical Wall Rail Slide Mount

A complementary work surface covered with an anti-microbial agent offering hygiene and cleaning down to the last detail.

Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Weight Supported by the work surface: 35 Kg
- * Working area 435 x 410 x 47 mm
- * Anodized, HPL and ABS (= anti-scratch, shock and scratch resistant) disinfectants)
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years



Part Number: 999.153— Technical sheet HD work surface Vertical Wall Rail Slide Mount











produits médicaux. Il inhibe la croissance de bactéries de tout type. Il ne s'agit pas d'un traitement superficiel. Il se trouve à 100% dans la totalité du produit. Il n'entraîne aucune altération des propriétés physicomécaniques du système élévateur des bras médicaux. Des simulations sur 30 ans montrent que 100 % des propriétés anti-bactériennes sont maintenues. Tous les bras articulés médicaux intégrent du Microban. Microban est leader mondial de solutions anti-bactériennes. Il est appliqué avec succès, depuis déjà plus de 35 ans, dans de multiples produits utilisés dans les secteurs hospitalier, de la construction et de l'alimentation.



Part Number: 999.154— Presentation Large service basket 200 x 300 x 180 mm on vertical sliding wall rail





Large service basket 200 x 300 x 180 mm on vertical sliding wall rail

Large service basket in anodised aluminium.

Its open structure allows direct access to its contents.


It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.


Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm - 500 mm - 1500 mm - 2000 mm)
- (300 mm 500 mm 1500 mm 2000 mm)
- * Dimensions: 180 x 300 x 200 mm
- * Colour Anodised aluminium
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years













Part Number: 999.155— Presentation Small service basket 100 x 150 x 200 mm on vertical sliding wall rail





Small service basket 100 x 150 x 200 mm on vertical sliding wall rail

Small service basket in anodized aluminium.

Its open structure allows direct access to its contents.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm - 500 mm - 1500 mm - 2000 mm)
- * Dimensions: 100 x 150 x 200 mm
- * Colour Anodised aluminium
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


















ErgenoFlex

Double cable hooks for vertical sliding wall rail mounting

This cable hook with its vertical wall rail mounting interface is the ideal complement when certain cables that are too long have to be suspended.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).


- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- * Cable hook with two pins
- * Length 170 mm
- * Wall Mount
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years




Part Number: 999.156— Technical sheet Double cable hooks for vertical sliding wall rail mounting















Part Number: 999.157— Presentation Triple cable hooks for vertical sliding wall rail mounting





Triple cable hooks for vertical sliding wall rail mounting

This cable hook with its vertical wall rail mounting interface is the ideal complement when certain cables that are too long have to be suspended.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

These wall rails can be easily cut to the required size. All cables also pass through the wall rail.

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- * Hook for cable with three pins
- * Length 230 mm
- * Wall Mount
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.


Warranty: 5 years



Part Number: 999.157— Technical sheet Triple cable hooks for vertical sliding wall rail mounting







230 Triple cable hooks for vertical slide rail mounting Part Number: 999.157 **Medical Grade** Do not hesitate to contact us if you have any questions about this product. Warranty: 5 years 000.999.157 Graphite grey On Measure = Depending on the elements 999.157

Anti-bacterial properties:

IT medical arms are now designed with Microban antibacterial protection, a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment. It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained. All medical articulated arms incorporate Microban. Microban is the world's leading provider of anti-bacterial

Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.



Part Number: 999.158— Presentation Adjustable CPU Holder 45-70 mm on vertical sliding wall rail





Adjustable CPU Holder 45-70 mm on vertical sliding wall rail

This CPU support is adjustable in width and height and is suitable for the majority of CPU's on the market.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- * Adjustable in height according to the length of the wall rail
- * Adjustable width from 45 to 70 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years



Part Number: 999.158— Technical sheet Adjustable CPU Holder 45-70 mm on vertical sliding wall rail











Anti-bacterial properties:


IT medical arms are now designed with Microban antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Part Number: 999.159— Presentation Adjustable CPU Holder 60-100 mm on vertical sliding wall rail





Adjustable CPU Holder 60-100 mm on vertical sliding wall rail

This CPU support is adjustable in width and height and is suitable for the majority of CPU's on the market.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Adjustable in height according to the length of the wall rail
- * Adjustable width from 60 to 100 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years













propriétés anti-bactériennes sont maintenues. Tous les bras articulés médicaux intégrent du Microban. Microban est leader mondial de solutions

anti-bactériennes. Il est appliqué avec succès, depuis déjà plus de 35 ans, dans de multiples produits utilisés dans les secteurs hospitalier, de la construction et de l'alimentation.



Part Number: 999.160— Presentation Adjustable CPU Holder 85-150 mm on vertical sliding wall rail





Adjustable CPU Holder 85-150 mm on vertical sliding wall rail

This CPU support is adjustable in width and height and is suitable for the majority of CPU's on the market.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- * Adjustable in height according to the length of the wall rail
- * Adjustable width from 85 to 150 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years



Part Number: 999.160— Technical sheet Adjustable CPU Holder 85-150 mm on vertical sliding wall rail











Anti-bacterial properties:

IT medical arms are now designed with Microban antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment. It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Part Number: 999.161— Presentation Adjustable CPU Holder 130-170 mm on vertical sliding wall rail





Adjustable CPU Holder 130-170 mm on vertical sliding wall rail

This CPU support is adjustable in width and height and is suitable for the majority of CPU's on the market.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.


Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- * Adjustable in height according to the length of the wall rail
- * Adjustable width from 130 to 170 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years













Propriétés Anti-bactériennes:

Les bras médicaux informatiques sont désormais conçus avec la protection antibactérienne Microban, un traitement révolutionnaire qui garantit une hygiène optimale. Les bras médicaux informatiques intègrent du Microban et d'autre agent anti bactérien dans tous les produits médicaux. Il inhibe la croissance de bactéries de tout type. Il ne s'agit pas d'un traitement superficiel. Il se trouve à 100% dans la totalité du produit. Il n'entraîne aucune altération des propriétés physicomécaniques du système élévateur des bras médicaux. Des simulations sur 30 ans montrent que 100 % des propriétés anti-bactériennes sont maintenues. Tous les bras articulés médicaux intégrent du Microban. Microban est leader mondial de solutions anti-bactériennes. Il est appliqué avec succès, depuis déjà plus de 35 ans, dans de multiples produits utilisés dans les secteurs hospitalier, de la construction et de l'alimentation.



Part Number: 999.162— Presentation Adjustable CPU Holder 170-215 mm on vertical sliding wall rail





Adjustable CPU Holder 170-215 mm on vertical sliding wall rail

This CPU support is adjustable in width and height and is suitable for the majority of CPU's on the market.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 - (300 mm 500 mm 1500 mm 2000 mm)
- * Adjustable in height according to the length of the wall rail
- * Adjustable width from 170 to 215 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years




Part Number: 999.162— Technical sheet Adjustable CPU Holder 170-215 mm on vertical sliding wall rail












hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment.

It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.







Adjustable 35-57 mm Universal Holder on vertical sliding wall rail

This universal adjustable width and height support is suitable for the majority of small machines on the market.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Adjustable in height according to the length of the wall rail
- * Adjustable width from 35 to 57 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


















Adjustable 48-63 mm Universal Holder on vertical sliding wall rail

This universal adjustable width and height support is suitable for the majority of small machines on the market.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).


- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Adjustable in height according to the length of the wall rail
- * Adjustable width from 48 to 63 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years











hospital, construction and food industries.



Power Supply Stand, Vertical slide rail mounting

Part Number: 999.165

Do not hesitate to contact

us if you have any questions about this

Warranty: 5 years

000.999.165

Graphite Grey

On Measure

= Depending on the elements

product.

Part Number: 999.165— Presentation Holder Power supply 126 x 143 48 mm Mounting on vertical sliding wall rail



Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

These wall rails can be easily cut to the required size. All cables also pass through the wall rail.

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Suitable for most power supplies on the market
- * Dimensions: 143 x 126 x 48 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

999.165




Part Number: 999.165— Technical sheet Holder Power supply 126 x 143 48 mm Mounting on vertical sliding wall rail














It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.




Part Number: 999.166— Presentation Power supply housing 255 x 96 x 65 mm Mounting on vertical sliding wall rail





Option





Power supply housing 255 x 96 x 65 mm Mounting on vertical sliding wall rail

Storage housing for anodised aluminium power supply. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments

Technical specifications:


* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- * Suitable for most power supplies on the market
- * Dimensions: 255 x 96 x 65 mm
- * Housing ventilated through ventilation holes to prevent overheating
- * Designed for one power supply
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years






Part Number: 999.166— Technical sheet Power supply housing 255 x 96 x 65 mm Mounting on vertical sliding wall rail












Anti-bacterial properties:





Part Number: 999.167— Presentation Power supply housing 255 x 115 x 85 mm Mounting on vertical sliding wall rail





Power supply housing 255 x 115 x 85 mm Mounting on vertical sliding wall rail

Storage housing for anodised aluminium power supply. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments


Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- * Suitable for most power supplies on the market
- * Dimensions: 255 x 115 x 85 mm
- * Housing ventilated through ventilation holes to prevent overheating
- * Designed for one power supply
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years



Part Number: 999.167— Technical sheet Power supply housing 255 x 115 x 85 mm Mounting on vertical sliding wall rail











It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Part Number: 999.168— Presentation Power supply housing 255 x 165 x 85 mm Mounting on vertical sliding wall rail





Power supply housing 255 x 165 x 85 mm Mounting on vertical sliding wall rail

Storage housing for anodised aluminium power supply. It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:


* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

These wall rails can be easily cut to the required size. All cables also pass through the wall rail.

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available: (300 mm 500 mm 1500 mm 2000 mm)
- * Suitable for most power supplies on the market
- * Dimensions: 255 x 165 x 85 mm
- * Housing ventilated through ventilation holes to prevent overheating
- * Designed for one power supply
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years




Part Number: 999.168— Technical sheet Power supply housing 255 x 165 x 85 mm Mounting on vertical sliding wall rail












It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Part Number: 999.169— Presentation Din Rail adapter 10 x 25 mm. Length 300 mm Mounting on vertical sliding wall rail





Din Rail adapter 10 x 25 mm. Length 300 mm Mounting on vertical sliding wall rail

This Din Rail Horizontal adapter allows the attachment of all medical accessories with the Din Rail $10 \ge 25$ mm interface.

Ideal complement when no Din Rails are available or absent to add other elements.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).


These wall rails can be easily cut to the required size. All cables also pass through the wall rail.

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Length 300 mm * Din Rail 10 x 25 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

P 148 ErgenoFiex www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com




Part Number: 999.169— Technical sheet Din Rail adapter 10 x 25 mm. Length 300 mm Mounting on vertical sliding wall rail












Part Number: 999.170— Presentation Din Rail adapter 10 x 25 mm. Length 400 mm Mounting on vertical sliding wall rail





Din Rail adapter 10 x 25 mm. Length 400 mm Mounting on vertical sliding wall rail

This Din Rail Horizontal adapter allows the attachment of all medical accessories with the Din Rail $10 \ge 25$ mm interface.

Ideal complement when no Din Rails are available or absent to add other elements.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

These wall rails can be easily cut to the required size. All cables also pass through the wall rail.

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Length 400 mm * Din Rail 10 x 25 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years

P 150 ErgenoFlex. www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com



Part Number: 999.170— Technical sheet Din Rail adapter 10 x 25 mm. Length 400 mm Mounting on vertical sliding wall rail










It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained. All medical articulated arms incorporate Microban.



Part Number: 999.171— Presentation Din Rail adapter 10 x 25 mm. Length 500 mm Mounting on vertical sliding wall rail





Din Rail adapter 10 x 25 mm. Length 500 mm Mounting on vertical sliding wall rail

This Din Rail Horizontal adapter allows the attachment of all medical accessories with the Din Rail $10 \ge 25$ mm interface.

Ideal complement when no Din Rails are available or absent to add other elements.

It is coated with an anti-microbial agent offering hygiene and cleaning down to the last detail. Its modern design has been specially designed for healthcare environments.

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).


These wall rails can be easily cut to the required size. All cables also pass through the wall rail.

- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Length 500 mm * Din Rail 10 x 25 mm
- * Colour RAL 7024 (Graphite grey)
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years


P 152 Ergenoflex. www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com



Part Number: 999.171— Technical sheet Din Rail adapter 10 x 25 mm. Length 500 mm Mounting on vertical sliding wall rail










antibacterial protection, a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface

treatment. It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are



Part Number: 999.172— Presentation Holder for 1 Bottle of Medical Gas Mounted on vertical wall rail





P 154 ErgenoFlex. www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com









hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment. It is 100% in the totality of the product. It does not alter the physico-mechanical properties of

the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained. All medical articulated arms incorporate Microban.

Microban is the world's leading provider of anti-bacterial solutions. It has been successfully applied for more than 35 years in a wide range of products used in the hospital, construction and food industries.




Part Number: 999.173— Presentation Holder for 2 Bottles of Medical Gas Mounted on vertical wall rail












P 156 ErgenoFlex. www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com



Part Number: 999.173— Technical sheet Holder for 2 Bottles of Medical Gas Mounted on vertical wall rail







IT medical arms are now designed with Microban antibacterial protection,

a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment. It is 100% in the totality of the product.

It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Part Number: 999.174— Presentation Universal Hand Shower Barcode Holder Wall Mount





Universal Hand Shower Barcode Holder Wall Mount

Universal barcode hand shower holder ideal for keeping the hand shower close to the medical facility.

This 13.5 x 10.31 x 6 cm barcode reader holder can be attached along the vertical wall rail

This rugged barcode scanner stand is the perfect storage or scanning application.

Color: Graphite Grey and White

Technical specifications:

* Optional Vertical Wall Rail Mounting, several lengths available (480 mm - 720 mm - 960 mm - 1200 mm).

These wall rails can be easily cut to the required size. All cables also pass through the wall rail.


- * Optional mounting on worktop or floor or ceiling column, several heights of which are available:
 (300 mm 500 mm 1500 mm 2000 mm)
- * Keeps the hand shower safe
- * All our medical arms are in conformity: CE, ROHS, Medical Grade, Regulations MDD 93/42 ECC.
- * Warranty: 5 years





Part Number: 999.174— Technical sheet Universal Hand Shower Barcode Holder Wall Mount
















antibacterial protection, a revolutionary treatment that guarantees optimal hygiene. IT medical arms integrate Microban and other

nyglene. If medical arms integrate with obar and other antibacterial agents into all medical products. It inhibits the growth of bacteria of all types. This is not a surface treatment. It is 100% in the totality of the product.

It is 100% in the totality of the product. It does not alter the physico-mechanical properties of the medical arm lift system. Simulations over 30 years show that 100% of the antibacterial properties are maintained.



Médical Grade

Innovative designs, a StS® shortened elevator technology with a factor 6 gas lift that makes computer medical elevation elevation effortlessly unmatched in the industry.

This StS ® technology offers smooth adjustment flexibility regardless of the size and strength of the user, allowing him to maximize his comfort of use both sitting and standing. The revolutionary design of the StS technology separates from conventional technologies that do not meet the safety factor standards generally used in this type of design.

A sTs elevator technology that is not under pressure, which means that your long-term performance will remain higher.

Designed for prolonged sitting or permanent applications. The sTs technology offers a true revolution in ergonomic design that can be used by a wide range of clinicians and caregivers of all sizes, allowing them to adjust the height of the medical arm.

Robust, anodized aluminum construction, complemented by a small footprint, makes computer medical arms accessible even in places where space is at a premium.

These computerized medical workstations contribute to the encoding of critical patient care information with comfort at the patient's bedside with unmatched travel comfort.

Computerized medical arms comply with hospital hygiene standards, effectively they contain less than 5% of plastic harmful to bacteria and can be disinfected in the smallest details.

An anti-bacterial coating (microban) ensures perfect hygiene of arms and all parts are therefore impermeable to bacteria, no asperities in their designs aimed at a complete cleaning, fast and easy, helping to control infections.

It takes only 10 minutes to completely disinfect the workstation.

Human-centered designs place mobile computing exactly where it needs to be, reducing the time spent on each task for more efficiency.

the fruit of a close collaboration with the nurses, the computer scientists, the doctors, offering them a comfort and an ergonomics unparalleled in the data entry.


These medical computer arm solutions offer healthy computing environments that promote work efficiency.

Developed for superior performance, quality, durability for a better return on investment. Designed and created to minimize the impact of energy consumption and thereby reduce the harmful effects of air emissions and pollution.

Backed by a 5 year warranty, our solutions will give you all satisfactions.



An Exceptional Experience! "Often copied, never equaled"



Unmatched in technology, comfort and installation

- 1 / Compliant and CE and ROHS / DIN EN ISO 9001: 2008 certified
- 2 / Anti-bacterial coating
- 3 / Height adjustable technology
- 4 / Medical Standards
- 5 / VESA 75 and 100 mm
- 6 / Possibility of mounting on Din Wall Rail optional
- 7 / Possibility of mounting on fixed pole, 25 35 38 mm
- 8 / Possibility of mounting on Din Vertical Rail 10 x 25 mm
- 9 / Possibility of mounting on variable pole between 20 and 40 mm
- 10 / Possible installation on DIN Rail Horizontal, 10 x 25 8 x 35 10 x 30 10 x 50 mm
- 11 / Optional column mounting option
- 12 / Cable entry and internal connector on the arm (internal chute supplied)
- 13 / Equipotential bonding and connector
- 14 / Adjustment and safety lever
- 15 / Adjustment and easy control of the gas cylinder



Bacteria-proof

Plastic, even food, is porous. This porosity, accentuated by scratches can cause bacteria nests in computerized medical arms during these constant manipulations. A biofilm can be put in place in a few hours, and allow the bacteria there to become resistant to external agents.

This is why our Computer Medical Arms, contrary to what we find on the market have a complete structure in anodized aluminum. Less than 5% of plastic in their designs dedicated specifically to the medical and hospital sector.

Aluminum, its characteristics, its properties, its utility:

Main characteristics

Density: 2700 kg / m3

Density: 2.7 (three times less than steel)

The use of aluminum is therefore essential in the areas of the construction of our computer arms.

Corrosion resistance:

Aluminum alloys are highly oxidizable. In the air, a layer of a few micrometers of aluminum oxide (Al2O3) is formed. Thanks to this thin film, aluminum alloys become resistant to corrosion. Unlike most metals, aluminum needs to oxidize to be used. Without this film of oxide, it would be unsuitable for most of its applications.

Thus, under normal atmospheric conditions, exterior building claddings or aluminum alloy parts have minimal maintenance and extended service life.

Anodizing:

Forced oxidation with an electrolyte makes it possible to obtain coloring of the parts. This anodizing can also be colorless to keep the shine of the pieces (aluminum color). The protective oxide layer can be made thicker by anodization.

Recycling:

To recycle aluminum, there is nothing simpler: just melt it. In addition to environmental benefits, aluminum recycling is much less expensive than extraction from bauxite ore. It requires 95% less energy. And a ton of recycled aluminum saves four tons of bauxite. By skipping the electrolysis stage, which requires a lot of energy, we avoid the pollutant emissions associated with it. Aluminum is almost infinitely recyclable without losing its qualities. In France, aluminum is recovered as part of selective sorting. In sorting centers, it is sorted thanks to eddy currents. It is then broken and crushed and melted. The downside, aluminum remains on the market an expensive material.




Benefit:

- * Resistant to corrosion
- * Unalterable color
- * Rigid
- * Allows 100% recycling
- * Light
- * Noise and vibration reduction
- * Do not rust
- * Longevity is three to four times greater than steel
- * Absorbs considerable pressure and effort
- * Insulation
- * Effective barrier against bacteria
- * Raincoat
- * Resistant to high and low temperatures
- * Sterilizable
- * Strength, weight, versatility
- * Do not burn
- * Anti acid

Antibacterial Micoban:

The medical computer arms are now designed with Microban antibacterial protection, a revolutionary treatment that guarantees optimal hygiene. Medical computer arms integrate Microban and other anti-bacterial agents into all medical products. It inhibits the growth of bacteria of all types. It is not a superficial treatment. It is 100% in the entire product. It does not entail any alteration of the physico-mechanical properties of the lift system of the medical arms. 30-year simulations show that 100% of anti-bacterial properties are maintained. All medical articulated arms incorporate Microban. Microban is a world leader in anti-bacterial solutions. It has been successfully applied for more than 35 years in multiple products used in the hospital, construction and food sectors.





Safety factor - Load with sixfold safety factor

ErgenoFlex.

The factor of safety is the use of more elements than necessary to compensate for the effects of unknown variables and to prevent system failures.

Design requires dealing with the unknown. Whatever the designer's level of knowledge and the quality of the specifications, hypotheses are inevitable in any design process.

The safety factors are used to offset the potential effects of these unknowns. The idea is to add materials and components to the system so that the design exceeds the specifications defined as necessary to meet the needs.

For example, designing an internet service that can support thousands of users is straightforward and straightforward. However, to take into account unanticipated needs for example downloading large files, the specifications of the need can be multiplied (here in threes).

In this case, the safety factor of three means that the service is qualified as being able to support 1000 users but is designated to actually support 3000.

The level of the safety factor corresponds directly to the level of ignorance of the design parameters. The higher the level of ignorance, the more the safety factor will be increased. More elements mean a higher cost.

The novelties require an important factor of safety. If a design becomes reliable over time, the confidence that the unknowns of the system disappear combined with the pressure to reduce costs causes a process of trimming and reducing the factor of safety.

Unfortunately, this process usually continues until an accident or malfunction occurs.

The safety factor must be used to minimize the risk of design failure. When the level of confidence in the design increases, we can then decrease the coefficient of safety but we must be careful not to go too far.

It is necessary to observe the nominal capacity of a system to make decisions that stress the limits of the system and not the expected capacity.

That is why all our medical arms are certified with a safety factor of 6 for your safety and that of your patients.





Disinfection, cleaning and hygiene of medical arms

Innovative designs, a StS® shortened lift technology with a factor 6 gas jack that allows the arms Hospital-acquired infections are a real public health problem. There are nowadays in France, about 10,000 deaths per year of these infections contracted at the hospital. They represent a very heavy burden for society, from a human, economic and social point of view. As a result, medical computer trolleys have been designed to be disinfected in their totality and disinfection takes only a very short time for the hygienist (less than 10 minutes).

WHY KEEP THE SAFE SURFACES?

- * Pathogenic microorganisms that enter the premises can survive on surfaces for long periods of time. periods of time.
- * Microorganisms that settle on surfaces can then be transmitted to the hands.
- * The germs of the hands can spread by contact, and be transmitted to other people and cause an infection.
- * Clean or disinfect surfaces to reduce the risk of cross-contamination.
- * Clean water may become contaminated if its container is not clean.





Recommended disinfectants:

- 1. Chlorine-based (10% max solution) Chlorox, Novalsan, etc.
- 2. Formaldehyde base 37% formaldehyde solution, Vinco Formaldegen, etc.
- 3. Glutaraldehyde-based stock Aldacide 200, Lysofume, Wavicide, etc.
- 4. Phenol stock base Lysol IC, many, Magna Clean, Tek-Trol, etc.
- 5. Alcohol Based CaviCide, Isopropyl Alcohol, Medicide (POL-0.3), etc.
- 6. Oxidants Hydrogen Peroxide Solution 3%, VikronS, Lifegard series, etc.
- 7. Ammonium quaternaries Roccal-D, Bacto-Sep, Ascend, Parvosol, etc.
- 8. Soap and hot water

DO NOT USE:

- 1. Oil-based liquid cleaners, such as gasoline, turpentine or petroleum
- 2. Acetone
- **3.** More than 10% bleach solutions
- **4.** Temperature or sterilization pressure



Ergonomics of workstations on screen

Determination of posture

A good design of an on-screen workstation allows:

* increase the postural margin of the operator; any posture, however ideal, becoming uncomfortable after a certain time (pain in the shoulders, arms, hands, neck, back and legs),

* to reduce the stresses of the cervical vertebrae and the muscles supporting the head (cervicalgia, muscular fatigue),

* * to reduce the disorders due to a sustained cognitive and visual activity

(headache, tingling, tearing, visual discomfort, etc.),

* to increase blood circulation in the legs, ...


Follow these two steps to improve the comfort of your workstation:

1. Select your size (in cm):

		n a standing position E			
152	105	141	57	93	36
155	107	144	58	94	37
157	110	146	59	95	38
160	111	148	60	97	38
163	113	151	61	99	39
165	115	153	62	101	40
168	117	156	63	102	41
170	118	158	64	104	41
173	120	161	65	106	42
175	122	163	66	108	43
178	124	166	67	109	44
180	125	168	68	111	44
183	127	171	68	112	46
185	129	173	69	113	46
188	131	175	72	116	48
191	133	178	72	117	48

2. Install / adjust the workstation components as described below:

ErgonoFlex.



Positions

The eyes should be aligned with the top of the display surface of the screen (specifically, the center of the screen should be at an angle of 15 degrees to the horizontal at eye level).

Exception: For wearers of progressive lenses, lower the monitor and tilt the screen up to avoid neck pain.

The height of the elbows should be adjusted with the top of the keyboard.

The height of the chair should help to keep the feet flat when the hips are at a 90 ° angle.

A seat slightly inclined downward (3 to 5 degrees) allows to better respect the natural curvature of the spine in double "S", which relieves the lumbar vertebrae.

Remarks

These values do not take into account the clothing elements. Remember to add the height of the shoes to make the right measurements.

Remember that no posture can be preserved for a long time, the postural margin being a fundamental element of comfort.

Beyond its standard recommendations, it is important to consider the location of the various elements at the station, the characteristics and distribution of the various tasks, the environmental context (thermal, acoustic and luminous environment), the collective context of the activity. (stress, mutual assistance, conflicting injunctions, etc.) and any particularities or restrictions of aptitude of the operator concerned.

Be careful not to make the mistake (made by both the operators and the companies specialized in tertiary installations) to position the screen face or back to the window but perpendicular to avoid direct glare (sometimes effective but not perceived) or the reflections of the screen.



MEDICAL ARMS FOR DISPLAY

MOUNTING ON MEDICAL COLUMN



media systems compatible with the widest possible range of medical and

computer monitors.

www.ergonoflex.com Tel: +32 2 582 18 94 Email: info@ergonoflex.com